

Huvema®



Air tools

Extensive range of high quality tools
suitable for every grinding, milling and sanding application

INTRODUCTION



WHY CHOOSE ATA?

With more than 50 years of experience, ATA is the global market leader in the supply of high-quality industrial air tools. Its extensive range offers a solution for every grinding and finishing application, optimizing processes in terms of economic efficiency, reliability and safety. ATA tool users come from a wide variety of industries including automotive, aerospace, foundries, metal fabrication, oil & gas, gas, marine, medical, rail and energy.

DEDICATED TO QUALITY

Quality and continuous improvement are priorities at ATA. We strive for top quality in our products and services. In the procurement of goods and services, ATA seeks partnerships with suppliers who apply the same principles of quality assurance. Our quality management system is certified according to ISO 9001:2015.

INNOVATION FROM DAY ONE

ATA, founded in 1963, is a true pioneer in the field of industrial air tools. Since then, ATA has continued to provide end users of these tools with products that match their processes and requirements. The industrial expertise and detailed knowledge of the applications have led to groundbreaking developments..

INFORMATION & CONSULTING

Phone: +31 413 34 22 75
E-mail: info@huvema.nl
Web: www.huvema.nl

SHOWROOM & VISIT

Kennedylaan 14 – 5466 AA VEGHEL
Monday to Thursday: from 08:30 to 17:00 h
Friday from 08:30 to 16:00 h

Prices shown are excl. 21% VAT and valid until 31-03-2020 - Price changes and printing errors reserved.

01 Pencil grinders page. 6

SPT80R... Pencil grinder 3 mm	6	
SPM45R... Pencil grinder 3 mm	7	
ST100 Turbine pencil grinder 3 mm	8	
SDM26L... Straight die grinder 6 mm	9	
SM10L... High power die grinder 6 mm	10	
SMD18LR... Low vibration die grinder 6 mm	11	
SMD30LR Low vibration die grinder 6 mm	12	
S5L Low speed sander/polisher 6 mm	13	
STX3L... Low speed sander/polisher 6 mm	14	

02 Extended grinders page. 18

RAMX13LR Extended right angle sander 6 mm	18	
SHG18LR Extended straight die grinder 6 mm	19	
SMX10L... Extended straight die grinder 6 mm	20	
SX10LR... Extended spindle straight die grinder 6 mm	21	

03 Angle grinders with collet page. 24

RA12M-C Angle grinder 6 mm	24	
RA16L Small angle sander 6 mm	25	

RAM10LR... Small angle sander 6 mm	26	
--	----	--

RPM25R Small angle sander 3 mm	27	
--	----	---

RA12M-B Angle grinder	28	
------------------------------	----	---

04 Angle grinders page. 32

RA12M-100... Angle grinder	32	
-----------------------------------	----	---

RA14-125DS1... Angle grinder	33	
-------------------------------------	----	---

RA14S-125PA5 Angle grinder	34	
-----------------------------------	----	---

RA14-125PA4... Angle grinder	35	
-------------------------------------	----	---

RA5 Low speed angle grinder	36	
------------------------------------	----	--

RA6 AVH... Large angle grinder	37	
---------------------------------------	----	---

05 Belt sanders page. 40

BL16L Belt sander	40	
--------------------------	----	---

RALM10L... Belt sander	41	
-------------------------------	----	---

06 Maintenance and information page. 42**07 Accessories** page. 44

Pencil grinder SPT80R

Speed 80000 rpm
Power 63 W

6

Pencil grinder SPT100R

Speed 100000 rpm
Power 63 W

6

Pencil grinder SPM45R

Speed 45000 rpm
Power 85 W

7

Pencil grinder SPM60R

Speed 60000 rpm
Power 85 W

7

Pencil grinder SPM80R

Speed 80000 rpm
Power 80 W

7

Turbine pencil grinder ST100

Speed 100000 rpm
Power 40 W

8

Straight die grinder SDM26L

Speed 25000 rpm
Power 300 W

9

Straight die grinder SDM26LR

Speed 25000 rpm
Power 300 W

9

Straight die grinder SDM30L

Speed 30000 rpm
Power 300 W

9

Straight die grinder SDM30LR

Speed 30000 rpm
Power 300 W

9

Straight die grinder SDM37L

Speed 37000 rpm
Power 300 W

9

Straight die grinder SDM37LR

Speed 37000 rpm
Power 300 W

9

High power die grinder SM10L

Speed 10000 rpm
Power 820 W

10

High power die grinder SM10LR

Speed 10000 rpm
Power 820 W

10

High power die grinder SM16L

Speed 16000 rpm
Power 820 W

10

High power die grinder SM16LR

Speed 16000 rpm
Power 820 W

10

High power die grinder SM25L

Speed 25000 rpm
Power 820 W

10

High power die grinder SM25LR

Speed 25000 rpm
Power 820 W

10

Low vibration die grinder SMD18LR

Speed 18000 rpm
Power 820 W

11

Low vibration die grinder SMD25LR

Speed 25000 rpm
Power 820 W

11

Low vibration die grinder SMD30LR

Speed 30000 rpm
Power 310 W

12

Low speed sander/polisher S5L

Speed 5000 rpm
Power 630 W

13

Low speed sander/polisher STX3L

Speed 3000 rpm
Power 630 W

14

Low speed sander/polisher STX5L

Speed 5000 rpm
Power 630 W

14



Pencil grinders



SPT... Pencil grinder



- ✓ Air propulsion motor - no lubrication required
- ✓ Slim turbine design for operator comfort
- ✓ Ceramic bearings allow extended spindle life and smooth operation
- ✓ Simplicity of motor designs - no wear on components in motor



Collet size **3 mm**
 Collet options **2.34 mm**
 Collet type **CC**

Model	21111601 SPT80R	21111600 SPT100R	
Speed	80000 rpm	100000 rpm	
Power	63 W	63 W	
Horsepower	0,08 HP	0,08 HP	
Weight	0,15 kg	0,15 kg	
Length	135 mm	135 mm	
Diameter	22 mm	22 mm	
Air consumption	0,17 m ³ /min	0,17 m ³ /min	
Noise Level	68 dB(A)	70 dB(A)	
Exhaust	behind	behind	
Lever type	Roller lever	Roller lever	
Incl. air hose	yes	yes	
	€590,50	€617,37	

Accessory optional

	Collet CC3 Diameter collet 3 mm 21111615 €46,41		Tube OVS055 Length 0.75 m 21111644 €9,90
	Spanner SSL1 7" Spanner size 7" 21111622 €4,16		Hose set PLS-054 Air hose length 2 m 21111643 €31,22
	Compressed air hose PLS6 Air hose length 1 m 21111632 €21,32		

Recommended consumables

Available at Huvema, ask for the catalogue



Model **Burrs (VHM)**
SPT80R 3mm
SPT100R 3mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ Improved roll throttle offers enhanced torque
- ✓ Slim body design - for intricate work
- ✓ High speed results in a finer finish
- ✓ Small diameter facilitates precise control



Collet size **3 mm**
 Collet options **2.34 mm**
 Collet type **CC**

Model	21111597 SPM45R	21111598 SPM60R	21111599 SPM80R	
Speed	45000 rpm	60000 rpm	80000 rpm	
Power	85 W	85 W	80 W	
Horsepower	0,11 HP	0,11 HP	0,1 HP	
Weight	0,17 kg	0,17 kg	0,17 kg	
Length	135 mm	135 mm	135 mm	
Diameter	22 mm	22 mm	22 mm	
Air consumption	0,23 m³/min	0,23 m³/min	0,2 m³/min	
Noise Level	68 dB(A)	68 dB(A)	66 dB(A)	
Exhaust	behind	behind	behind	
Lever type	Roller lever	Roller lever	Roller lever	
Incl. air hose	Yes	Yes	Yes	
	€416,06	€416,06	€387,54	

Accessory optional

	Collet CC3 Diameter collet 3 mm 21111615 €46,41		Tube OVS055 Length 0.75 m 21111644 €9,90
	Spanner SSL1 7" Spanner size 7" 21111622 €4,16		Hose set PLS-054 Air hose length 2 m 21111643 €31,22
	Compressed air hose PLS6 Air hose length 1 m 21111632 €21,32		

Recommended consumables Available at Huvema, ask for the catalogue

		
Model	Burrs	Mounted Points
SPM45R	3mm	3mm
SPM60R	3mm	3mm
SPM80R	3mm	3mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



ST100 Turbine pencil grinder

- ✓ Oil free operation- no contamination to workpiece
- ✓ High speed results in a fine finish
- ✓ Small diameter facilitates precise control
- ✓ Ergo sleeve fitted for operator comfort



Collet size **3 mm**
 Collet options **2.34 mm**
 Collet type **CC**

Model	21111602 ST100	
Speed	100000 rpm	
Power	40 W	
Horsepower	0,06 HP	
Weight	0,24 kg	
Length	150 mm	
Diameter	27 mm	
Air consumption	0,17 m ³ /min	
Noise Level	62 dB(A)	
Exhaust	front	
Lever type	Roller lever	
Incl. air hose	yes	
	€443,70	

Accessory optional




Collet CC3
 Diameter collet 3 mm
 21111615
€46,41




Compressed air hose PLS5
 Air hose length 1 m
 21111631
€25,17



Spanner SSL1 7"
 Spanner size 7"
 21111622
€4,16

Recommended consumables
 Available at Huvema, ask for the catalogue


Mounted Points
 3mm



Burrs (VHM)
 3mm

Model
ST100

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ Excellent Power to Weight Ratio
- ✓ Governor design offering a range of speeds
- ✓ Compact design suitable for light to medium deburring applications
- ✓ Collet options to accommodate a range of shank mounted consumables



Collet size 6 mm
Collet options 3 mm
Collet type CB

Model	21111575 SDM26L	21111576 SDM26LR	21111577 SDM30L	21111578 SDM30LR	21111579 SDM37L	21111580 SDM37LR
Speed	25000 rpm	25000 rpm	30000 rpm	30000 rpm	37000 rpm	37000 rpm
Power	300 W	300 W	300 W	300 W	300 W	300 W
Horsepower	0,4 HP	0,4 HP	0,4 HP	0,4 HP	0,4 HP	0,4 HP
Weight	0,52 kg	0,52 kg	0,52 kg	0,52 kg	0,52 kg	0,52 kg
Length	167 mm	154 mm	167 mm	154 mm	167 mm	154 mm
Diameter	37 mm	37 mm	37 mm	37 mm	37 mm	37 mm
Air consumption	0,57 m ³ /min	0,57 m ³ /min	0,57 m ³ /min	0,57 m ³ /min	0,57 m ³ /min	0,57 m ³ /min
Noise Level	73 dB(A)	72 dB(A)	73 dB(A)	73 dB(A)	75 dB(A)	74 dB(A)
Exhaust	front	behind	front	behind	front	behind
Lever type	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever
Incl. air hose	No	yes	No	yes	No	yes
	€442,20	€476,87	€442,20	€476,87	€401,00	€437,89

Accessory optional

	Collet CB3 Diameter collet 3 mm 21111612 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CB6 Diameter collet 6 mm 21111613 €37,20		Safety lever SL2 21111625 €41,53
	Spanner SSL2 7/16" Spanner size 7/16" 21111619 €5,47		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16

Recommended consumables

Available at Huvema, ask for the catalogue

Model	Burrs	Mounted Points
SDM26L	8 tot 12mm	
SDM26LR	8 tot 12mm	
SDM30L	8 tot 10mm	
SDM30LR	8 to 10mm	
SDM37L	3 tot 8mm	
SDM37LR	3 tot 8mm	

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



SM ... High power die grinder

- ✓ Motor design results in more power, less air consumption
- ✓ Throttle valve for smoother start up action
- ✓ Moulded sleeve for improved ergonomics, operator comfort and insulation
- ✓ Ergonomically designed lever construction




Collet size **6 mm**
Collet options **3/8/10 mm**
Collet type **CA**

Model	21111582 SM10L	21111583 SM10LR	21111584 SM16L	21111585 SM16LR	21111586 SM25L	21111587 SM25LR
Speed	10000 rpm	10000 rpm	16000 rpm	16000 rpm	25000 rpm	25000 rpm
Power	820 W	820 W	820 W	820 W	820 W	820 W
Horsepower	1,1 HP	1,1 HP	1,1 HP	1,1 HP	1,1 HP	1,1 HP
Weight	0,75 kg	0,73 kg	0,75 kg	0,73 kg	0,75 kg	0,73 kg
Length	224 mm	213 mm	224 mm	213 mm	224 mm	213 mm
Diameter	40 mm	40 mm	40 mm	40 mm	40 mm	40 mm
Air consumption	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min
Noise Level	78 dB(A)	77 dB(A)	77 dB(A)	75 dB(A)	74 dB(A)	74 dB(A)
Exhaust	front	behind	front	behind	front	behind
Lever type	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever
Incl. air hose	No	yes	No	yes	No	yes
	€611,25	€658,27	€611,25	€658,27	€581,86	€617,12

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Spanner SSL1 14" Spanner size 14" 21111623 €5,58
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Safety lever SL2 21111625 €41,53
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16

Recommended consumables
 Available at Huvema, ask for the catalogue

Model	 Burrs	 Mounted Points	 Flap Grinder
SM10L			
SM10LR			
SM16L			
SM16LR			
SM25L	10 & 12mm		
SM25LR	10 & 12mm		

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ Unique anti-vibration dampening system
- ✓ Throttle valve for smoother start up action
- ✓ Moulded sleeve for improved ergonomics - operator comfort and insulation
- ✓ Ergonomically designed lever construction



Collet size **6 mm**
Collet options **3/8/10 mm**
Collet type **CA**

Model	21111588 SMD18LR	21111589 SMD25LR	
Speed	18000 rpm	25000 rpm	
Power	820 W	820 W	
Horsepower	1,1 HP	1,1 HP	
Weight	0,8 kg	0,8 kg	
Length	208 mm	208 mm	
Diameter	46 mm	46 mm	
Air consumption	0,62 m³/min	0,62 m³/min	
Noise Level	75 dB(A)	77 dB(A)	
Exhaust	behind	behind	
Lever type	Safety lever	Safety lever	
Incl. air hose	yes	yes	
	€793,44	€769,93	


Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL1 14" Spanner size 14" 21111623 €5,58
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Safety lever SL2 21111625 €41,53
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Tube OVS7 Length 1 m 21111652 €10,98
	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Hose set PLS-053 Air hose length 2 m 21111642 €55,22

Recommended consumables Available at Huvema, ask for the catalogue



Burrs



Mounted Points

Model	
SMD18LR	12 & 15mm
SMD25LR	10 & 12mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



SMD30LR Low vibration die grinder

- ✓ Front vibration dampening system absorbs process and consumable vibration
- ✓ Light weight for operator comfort
- ✓ Moulded body provides greater insulation and improved ergonomics
- ✓ Ergonomically designed lever construction



Collet size **6 mm**
 Collet options **3 mm**
 Collet type **CB**

Model	21111590 SMD30LR	
Speed	30000 rpm	
Power	310 W	
Horsepower	0,42 HP	
Weight	0,32 kg	
Length	167 mm	
Diameter	35 mm	
Air consumption	0,35 m ³ /min	
Noise Level	75 dB(A)	
Exhaust	behind	
Lever type	Safety lever	
Incl. air hose	yes	
	€566,97	

Accessory optional

	Collet CB3 Diameter collet 3 mm 21111612 €37,20		Safety lever SL2 21111625 €41,53
	Collet CB6 Diameter collet 6 mm 21111613 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Tube OVS7 Length 1 m 21111652 €10,98
	Spanner SSL1 14" Spanner size 14" 21111623 €5,58		Hose set PLS-053 Air hose length 2 m 21111642 €55,22

Recommended consumables
 Available at Huvema, ask for the catalogue
**Burrs****Mounted Points**

Model
SMD30LR

tot 12mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



S5L Low speed sander/polisher



- ✓ Suitable for a wide range of sanding applications
- ✓ Double handed operation for improved control
- ✓ Ergo sleeve fitted for operator comfort
- ✓ Collet options for a wide range of shank mounted consumables



Collet size **6 mm**
Collet options **3/8/10 mm**
Collet type **CA**

Model	21111574 S5L	
Speed	5000 rpm	
Power	630 W	
Horsepower	0,85 HP	
Weight	1,3 kg	
Length	221 mm	
Diameter	42 mm	
Air consumption	0,85 m ³ /min	
Noise Level	66 dB(A)	
Exhaust	front	
Lever type	Safety lever	
Incl. air hose	No	
	€686,85	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Safety lever SL1 21111624 €34,83
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Compressed air hose PLS3 Air hose length 3 m 21111629 €26,04

Recommended consumables Available at Huvema, ask for the catalogue



Burrs



Flap Grinder

Model
S5L

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



STX ... Low speed sander/polisher

- ✓ Double handed operation for improved control
- ✓ Suitable for a wide range of sanding applications
- ✓ Collet options to accommodate range of shank mounted consumables
- ✓ Ergo sleeve fitted for operator comfort



Collet size **6 mm**
 Collet options **3/8/10 mm**
 Collet type **CA**

Model	21111603 STX3L	21111604 STX5L	
Speed	3000 rpm	5000 rpm	
Power	630 W	630 W	
Horsepower	0,85 HP	0,85 HP	
Weight	1,6 kg	1,6 kg	
Length	356 mm	356 mm	
Diameter	43 mm	43 mm	
Air consumption	0,85 m ³ /min	0,85 m ³ /min	
Noise Level	64 dB(A)	66 dB(A)	
Exhaust	front	front	
Lever type	Safety lever	Safety lever	
Incl. air hose	No	No	
	€830,31	€817,30	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Safety lever SL3 21111626 €34,83
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Compressed air hose PLS3 Air hose length 3 m 21111629 €26,04

Recommended consumables
 Available at Huvema, ask for the catalogue
**Burrs****Flap Grinder**

Model
STX3L
STX5L

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



Extended right angle sander RAMX13LR

Speed 13000 rpm
Power 820 W

18

Extended straight die grinder SHG18LR

Speed 18000 rpm
Power 1120 W

19

Extended straight die grinder SMX10L

Speed 10000 rpm
Power 820 W

20

Extended straight die grinder SMX10LR

Speed 10000 rpm
Power 820 W

20

Extended straight die grinder SMX16L

Speed 16000 rpm
Power 820 W

20

Extended straight die grinder SMX16LR

Speed 16000 rpm
Power 820 W

20

Extended straight die grinder SMX25L

Speed 25000 rpm
Power 820 W

20

Extended straight die grinder SMX25LR

Speed 25000 rpm
Power 820 W

20

Extended spindle straight die grinder SX10LR

Speed 10000 rpm
Power 630 W

21

Extended spindle straight die grinder SX16LR

Speed 16000 rpm
Power 630 W

21

Extended spindle straight die grinder SX22LR

Speed 22000 rpm
Power 630 W

21

Air grinder, 22k rpm PS 200L

Weight 0,8 kg
Speed 22000 rpm


Extended grinders



RAMX13LR Extended right angle sander



- ✓ Extended body offers improved control
- ✓ Durable gear design offers increased service life
- ✓ Ergonomically designed lever construction
- ✓ Motor design offers more power with less air consumption



Collet size **6 mm**
Collet options **3 mm**
Collet type **CB**

Model	21111572 RAMX13LR	
Speed	13000 rpm	
Power	820 W	
Horsepower	1,1 HP	
Weight	1,3 kg	
Length	288 mm	
Height head	70 mm	
Air consumption	0,62 m ³ /min	
Noise Level	75 dB(A)	
Exhaust	behind	
Lever type	Safety lever	
Incl. air hose	yes	
	€916,73	

Accessory optional

	Collet CB3 Diameter collet 3 mm 21111612 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Collet CB6 Diameter collet 6 mm 21111613 €37,20		Tube OVS7 Length 1 m 21111652 €10,98
	Spanner SSL2 7/16" Spanner size 7/16" 21111619 €5,47		Hose set PLS-053 Air hose length 2 m 21111642 €55,22
	Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42		Tube OVS6 Length 1 m 21111649 €9,65
	Safety lever SL2 21111625 €41,53		

Recommended consumables Available at Huvema, ask for the catalogue



Burrs



Mini-Flexidisc



Mini Discs



Quick change discs

Model
RAMX-13LR
10 & 12mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



SHG18LR Extended straight die grinder



- ✓ High power to weight ratio compared with high cycle grinders
- ✓ Double handed operation for improved control
- ✓ Robust for heavy duty applications
- ✓ Suitable for use with large diameter carbide burrs



Collet size **6 mm**
Collet options **3/8/10 mm**
Collet type **CA**

Model	21111581 SHG18LR	
Speed	18000 rpm	
Power	1120 W	
Horsepower	1,5 HP	
Weight	2,5 kg	
Length	371 mm	
Diameter	43 mm	
Air consumption	1,13 m ³ /min	
Noise Level	70 dB(A)	
Exhaust	behind	
Lever type	Safety lever	
Incl. air hose	yes	
	€767,44	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Safety lever SL2 21111625 €41,53
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Tube OVS-005 Length 1 m 21111640 €9,47
	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		

Recommended consumables Available at Huvema, ask for the catalogue



Burrs



Mounted Points

Model **SHG18LR**
15 & 20mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



SMX ... Extended straight die grinder



- ✓ Motor offers more power with less air consumption
- ✓ Throttle valve for smoother start up action
- ✓ Ergonomically designed lever construction
- ✓ Governor design offering a range of speeds



Collet size **6 mm**
 Collet options **3/8/10 mm**
 Collet type **CA**

Model	21111591 SMX10L	21111592 SMX10LR	21111593 SMX16L	21111594 SMX16LR	21111595 SMX25L	21111596 SMX25LR
Speed	10000 rpm	10000 rpm	16000 rpm	16000 rpm	25000 rpm	25000 rpm
Power	820 W	820 W	820 W	820 W	820 W	820 W
Horsepower	1,1 HP	1,1 HP	1,1 HP	1,1 HP	1,1 HP	1,1 HP
Weight	1,3 kg	1,3 kg	1,3 kg	1,3 kg	1,3 kg	1,3 kg
Length	357 mm	345 mm	357 mm	345 mm	357 mm	345 mm
Diameter	40 mm	40 mm	40 mm	40 mm	40 mm	40 mm
Air consumption	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min	0,62 m ³ /min
Noise Level	74 dB(A)	74 dB(A)	77 dB(A)	75 dB(A)	78 dB(A)	77 dB(A)
Exhaust	front	behind	front	behind	front	behind
Lever type	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever	Safety lever
Incl. air hose	No	yes	No	yes	No	yes
	€725,20	€733,00	€718,94	€767,47	€692,01	€702,66

Accessory optional


	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Safety lever SL2 21111625 €41,53
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16

Recommended consumables

Available at Huvema, ask for the catalogue



Burs



Mounted Points



Flap Grinder

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ Extended spindle for access in restricted areas
- ✓ Small diameter spindle for restricted access applications
- ✓ Ergo sleeve fitted for operator comfort
- ✓ Governor design offering a range of speeds



Collet size **6 mm**
Collet options **3 mm**
Collet type **CB**

Model	21111605 SX10LR	21111606 SX16LR	21111607 SX22LR	
Speed	10000 rpm	16000 rpm	22000 rpm	
Power	630 W	630 W	630 W	
Horsepower	0,85 HP	0,85 HP	0,85 HP	
Weight	1,17 kg	1,17 kg	1,17 kg	
Length	320 mm	320 mm	320 mm	
Diameter	40 mm	40 mm	40 mm	
Air consumption	0,85 m³/min	0,85 m³/min	0,85 m³/min	
Noise Level	64 dB(A)	65 dB(A)	70 dB(A)	
Exhaust	behind	behind	behind	
Lever type	Safety lever	Safety lever	Safety lever	
Incl. air hose	yes	yes	yes	
	€659,03	€659,03	€639,53	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL1 7/16" Spanner size 7/16" 21111618 €5,47
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Safety lever SL1 21111624 €34,83
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Compressed air hose PLS3 Air hose length 3 m 21111629 €26,04
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Hose set PLS-114 Air hose length 3 m 21111648 €34,14
	Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42		Hose set PLS-053 Air hose length 2 m 21111642 €55,22

Recommended consumables Available at Huvema, ask for the catalogue



Burrs



Mounted Points



Flap Grinder

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



Angle grinder RA12M-C

Speed 12000 rpm
Power 675 W

24

Small angle sander RA16L

Speed 16000 rpm
Power 370 W

25

Small angle sander RAM10LR

Speed 12000 rpm
Power 300 W

26

Small angle sander RAM20LR

Speed 20000 rpm
Power 300 W

26

Small angle sander RPM25R

Speed 25000 rpm
Power 85 W

27

Angle grinder RA12M-B

Speed 12000 rpm
Power 675 W

28



Angle grinders with collet



RA12M-C Angle grinder



- ✓ Anti-vibration side handle
- ✓ High quality gears offer extended tool life
- ✓ Interchangeable side handle



Collet size **6 mm**
Collet options **3 mm**
Collet type **CB**

Model	21111556 RA12M-C	
Speed	12000 rpm	
Power	675 W	
Horsepower	0,9 HP	
Weight	1,19 kg	
Length	206 mm	
Height head	85 mm	
Air consumption	0,71 m³/min	
Noise Level	77 dB(A)	
Exhaust	behind	
Lever type	Safety lever	
Side lever type	A	
Incl. air hose	yes	
	€832,36	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Safety lever SL2 21111625 €41,53
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Tube OVS7 Length 1 m 21111652 €10,98
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Hose set PLS-053 Air hose length 2 m 21111642 €55,22
	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Side handgeep Type A 21111639 €60,88
	Spanner SSL1 7/16" Spanner size 7/16" 21111618 €5,47		

Recommended consumables
Available at Huvema, ask for the catalogue



Mini-Flexidisc



Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.

RA16L Small angle sander



- ✓ Ergonomically designed and compact
- ✓ Excellent power to weight ratio
- ✓ Suitable for a wide range of sanding applications
- ✓ Range of collet options available



Collet size **6 mm**
Collet options **3/8/10 mm**
Collet type **CA**


Model	21111564 RA16L	
Speed	16000 rpm	
Power	370 W	
Horsepower	0,5 HP	
Weight	1,3 kg	
Length	177 mm	
Height head	175 mm	
Air consumption	0,6 m ³ /min	
Noise Level	73 dB(A)	
Exhaust	front	
Lever type	Safety lever	
Incl. air hose	No	
	€492,20	

Accessory optional

	Collet CA3 Diameter collet 3 mm 21111608 €37,20		Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Collet CA6 Diameter collet 6 mm 21111609 €37,20		Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42
	Collet CA8 Diameter collet 8 mm 21111610 €37,20		Safety lever SL1 21111624 €34,83
	Collet CA10 Diameter collet 10 mm 21111611 €37,19		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16



Recommended consumables Available at Huvema, ask for the catalogue

			
Model	Burrs	Mini-Flexidisc	Quick change discs
RA16L	10 & 12mm		

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.

RPM ... Small angle sander



- ✓ Ergonomically designed for operator comfort
- ✓ Excellent power to weight ratio
- ✓ Collet & direct attachment facilitates use with burs & abrasive discs
- ✓ Suitable for use with 75mm (3") sanding discs



Collet size **6 mm**
Collet options **3 mm**
Collet type **CB**

Model	21111570 RAM10LR	21111571 RAM20LR	
Speed	12000 rpm	20000 rpm	
Power	300 W	300 W	
Horsepower	0,4 HP	0,4 HP	
Weight	0,59 kg	0,59 kg	
Length	147 mm	147 mm	
Height head	70 mm	70 mm	
Air consumption	0,57 m ³ /min	0,57 m ³ /min	
Noise Level	71 dB(A)	74 dB(A)	
Exhaust	behind	behind	
Lever type	Safety lever	Safety lever	
Incl. air hose	yes	yes	
	€580,93	€537,58	

Accessory optional

	Collet CB3 Diameter collet 3 mm 21111612 €37,20		Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16
	Collet CB6 Diameter collet 6 mm 21111613 €37,20		Tube OVS6 Length 1 m 21111649 €9,65
	Spanner SSL1 3/4" Spanner size 3/4" 21111616 €7,42		Hose set PLS-122 Air hose length 2 m 21111647 €57,81
	Spanner SSL1 7/16" Spanner size 7/16" 21111618 €5,47		Extended spindle SP-EX Length 75 mm 21111653 €184,07
	Safety lever SL2 21111625 €41,53		Extended spindle SP-EX Length 125 mm 21111654 €186,01



Recommended consumables Available at Huvema, ask for the catalogue



Burs



Quick change discs

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.

- ✓ Improved roll throttle offers enhanced torque
- ✓ Slim body right angled sander designed for precision deburring and sanding
- ✓ Suitable for 20mm, 25mm and 38mm ATADiscs
- ✓ Small angle head to facilitate access to restricted areas



Collet size 3 mm
Collet options 2.34 mm
Collet type CD

Model	21111573 RPM25R	
Speed	25000 rpm	
Power	85 W	
Horsepower	0,11 HP	
Weight	0,23 kg	
Length	141 mm	
Height head	33,5 mm	
Air consumption	0,23 m³/min	
Noise Level	69 dB(A)	
Exhaust	behind	
Lever type	Roller lever	
Incl. air hose	yes	
	€669,89	

Accessory optional

Collet CD3 Diameter collet 3 mm 21111614 €46,41	Compressed air hose PLS5 Air hose length 1 m 21111631 €25,17
Spanner SSL1 Spanner size - 21111620 €8,44	Tube OVS3 ASS Length 0.6 m 21111645 €8,76
Spanner SSL2 Spanner size - 21111621 €8,44	Hose set PLS-012 Air hose length 2 m 21111641 €42,35

Recommended consumables

Available at Huvema, ask for the catalogue

	Burrs	Mounted Points	Quick change discs
Model RPM25R	3mm	3mm	20, 25 & 38mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



RA12M-B Angle grinder



- ✓ Anti-vibration side handle
- ✓ High quality gears offer extended tool life
- ✓ Interchangeable side handle



Model	21111555 RA12M-B	
Speed	12000 rpm	
Power	675 W	
Horsepower	0,9 HP	
Weight	1,19 kg	
Length	206 mm	
Height head	71 mm	
Air consumption	0,71 m³/min	
Noise Level	77 dB(A)	
Exhaust	behind	
Lever type	Safety lever	
Spindle wire	M14	
Side lever type	A	
Incl. air hose	yes	
	€739,39	

Accessory optional

	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Tube OVS7 Length 1 m 21111652 €10,98
	Safety lever SL2 21111625 €41,53		Hose set PLS-053 Air hose length 2 m 21111642 €55,22
	Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16		Side handgeep Type A 21111639 €60,88

Recommended consumables Available at Huvema, ask for the catalogue



Model
RA12M-B

Cup brushes
tot 75mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



Angle grinder RA12M-100

Speed 12000 rpm
Power 675 W

32

Angle grinder RA12M-100A

Speed 12000 rpm
Power 675 W

32

Angle grinder RA12M-115

Speed 12000 rpm
Power 675 W

32

Angle grinder RA12M-115A

Speed 12000 rpm
Power 675 W

32

Angle grinder RA14-125DS1

Speed 12000 rpm
Power 1100 W

33

Angle grinder RA14-115DS1

Speed 13000 rpm
Power 1100 W

33

Angle grinder RA14-100DS1

Speed 15000 rpm
Power 1100 W

33

Angle grinder RA14S-125PA5

Speed 9000 rpm
Power 1100 W

34

Angle grinder RA14-125PA4

Speed 12000 rpm
Power 1100 W

35

Angle grinder RA14-115PA4

Speed 13000 rpm
Power 1100 W

35

Angle grinder RA14-100PA4

Speed 15000 rpm
Power 1100 W

35

Low speed angle grinder RA5

Speed 5500 rpm
Power 820 W

36

Large angle grinder RA6 AVH

Speed 6500 rpm
Power 1500 W

37

Large angle grinder RA8 AVH

Speed 8500 rpm
Power 1500 W

37



Angle grinders



RA12M ... Angle grinder



- ✓ Spindle lock button for quicker disc change
- ✓ Quick release adjustable guard
- ✓ Anti-vibration side handle
- ✓ Interchangeable side handle



Model	21111551 RA12M-100	21111552 RA12M-100A	21111553 RA12M-115	21111554 RA12M-115A	
Speed	12000 rpm	12000 rpm	12000 rpm	12000 rpm	
Power	675 W	675 W	675 W	675 W	
Horsepower	0,9 HP	0,9 HP	0,9 HP	0,9 HP	
Weight	1.81 kg	1,81 kg	1,81 kg	1,81 kg	
Length	215 mm	215 mm	215 mm	215 mm	
Height head	95 mm	95 mm	88,5 mm	88,5 mm	
øD	100	100	115	115	
Air consumption	0,71 m³/min	0,71 m³/min	0,71 m³/min	0,71 m³/min	
Noise Level	77 dB(A)	77 dB(A)	77 dB(A)	77 dB(A)	
Exhaust	behind	behind	behind	behind	
Lever type	Safety lever	Safety lever	Safety lever	Safety lever	
Spindle wire	5/8"-11 UNC	-	5/8"-11 UNC	-	
Anti-vibration	No	yes	No	yes	
Side lever type	A	A	A	A	
Incl. air hose	yes	yes	yes	yes	
	€814,84	€852,32	€814,84	€852,32	

Accessory optional

	Safety lever SL2 21111625 €41,53		Hose set PLS-053 Air hose length 2 m 21111642 €55,22
	Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16		Allen key IB-118 Length 70 mm 21111634 €1,40
	Tube OVS7 Length 1 m 21111652 €10,98		Side handgrip Type A 21111639 €60,88

Recommended consumables

Available at Huvema, ask for the catalogue

Available at Huvema, ask for the catalogue



Model	Flap discs
RA12M-100	100mm
RA12M-100A	100mm
RA12M-115	115mm
RA12M-115A	115mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ 3 speeds available to suit 100mm (4"), 115mm (4 1/2") and 125mm (5") discs
- ✓ Front or Side Exhaust options available
- ✓ Side handle provides greater control



Model	21111561 RA14-125DS1	21111559 RA14-115DS1	21111557 RA14-100DS1	
Speed	12000 rpm	13000 rpm	15000 rpm	
Power	1100 W	1100 W	1100 W	
Horsepower	1,5 HP	1,5 HP	1,5 HP	
Weight	1,9 kg	1,9 kg	1,9 kg	
Length	261 mm	261 mm	261 mm	
Height head	96 mm	96 mm	96 mm	
Air consumption	1,13 m³/min	1,13 m³/min	1,13 m³/min	
Noise Level	79 dB(A)	79 dB(A)	79 dB(A)	
Exhaust	Diffuser	Diffuser	Diffuser	
Lever type	Safety lever	Safety lever	Safety lever	
Anti-vibration	No	No	No	
Spindle wire	5/8"-11 UNC	5/8"-11 UNC	5/8"-11 UNC	
Side lever type	S	S	S	
Incl. air hose	No	No	No	
	€691,73	€690,62	€690,62	

Accessory optional

Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21	7 pcs Ball point hex key set Length 95, 70, 60 mm 21111637 €3,02
Safety lever SL1 21111624 €34,83	Pen Key A419 21111650 €14,26
Compressed air hose PLS2 Air hose length 3 m 21111628 €60,88	Side handgeep Type S 21111638 €13,91
Allen key IB-118 Length 70 mm 21111634 €1,40	

Recommended consumables

Available at Huvema, ask for the catalogue

Available at Huvema, ask for the catalogue



Flap discs

Model	
RA14-125DS1	125mm
RA14-115DS1	115mm
RA14-100DS1	100mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



RA14S-125PA5 Angle grinder

- ✓ Modified gear set for increased torque during grinding
- ✓ Durable and robust design
- ✓ Auto-balancer & anti-vibration side handle to reduce vibration
- ✓ Piston type exhaust for reduced noise



Model	21111563 RA14S-125PA5	
Speed	9000 rpm	
Power	1100 W	
Horsepower	1,5 HP	
Weight	1,9 kg	
Length	261 mm	
Height head	99 mm	
Air consumption	1,13 m ³ /min	
Noise Level	75 dB(A)	
Exhaust	Piston	
Lever type	Safety lever	
Anti-vibration	yes	
Spindle wire	5/8"-11 UNC	
Side lever type	A	
Incl. air hose	No	
	€802,98	

Accessory optional

	Safety lever SL1		Pen Key A419
	21111624 €34,83		21111650 €14,26
	Compressed air hose PLS2		Side handgeep Type A
	Air hose length 3 m 21111628 €60,88		21111639 €60,88
	Allen key IB-002		
	Length 95 mm 21111633 €2,49		


Recommended consumables
 Available at Huvema, ask for the catalogue


Model
RA14S-125PA5

Fibre discs
125mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.

- ✓ 3 speeds available to suit 100mm (4"), 115mm (4 1/2") and 125mm (5") discs
- ✓ Front or Side Exhaust options available
- ✓ Side handle provides greater control
- ✓ Dynamic Auto -Balancer option for reduced vibration



Model	21111562 RA14-125PA4	21111560 RA14-115PA4	21111558 RA14-100PA4	
Speed	12000 rpm	13000 rpm	15000 rpm	
Power	1100 W	1100 W	1100 W	
Horsepower	1,5 HP	1,5 HP	1,5 HP	
Weight	1,9 kg	1,9 kg	1,9 kg	
Length	261 mm	261 mm	261 mm	
Height head	90 mm	90 mm	90 mm	
Air consumption	1,13 m³/min	1,13 m³/min	1,13 m³/min	
Noise Level	77 dB(A)	77 dB(A)	77 dB(A)	
Exhaust	Piston	Piston	Piston	
Lever type	Safety lever	Safety lever	Safety lever	
Anti-vibration	yes	yes	yes	
Spindle wire	5/8"-11 UNC	5/8"-11 UNC	5/8"-11 UNC	
Side lever type	A	A	A	
Incl. air hose	No	No	No	
	€762,81	€762,81	€762,81	

Accessory optional

	Safety lever SL1 21111624 €34,83		7 pcs Ball point hex key set - TH-7HB IB-101 Length 95, 70, 60 mm 21111637 €3,02
	Compressed air hose PLS2 Air hose length 3 m 21111628 €60,88		Pen Key A419 21111650 €14,26
	Allen key IB-118 Length 70 mm 21111634 €1,40		Side handgeep Type A 21111639 €60,88

Recommended consumables Available at Huvema, ask for the catalogue



Model	Fibre discs
RA14-125PA4	125mm
RA14-115PA4	125mm
RA14-100PA4	125mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



RA5 Low speed angle grinder

- ✓ Low speed to suit many sanding applications
- ✓ Suitable for use with 180mm (7") fibre discs for light sanding
- ✓ Excellent power to weight ratio
- ✓ Ergo sleeve fitted for operator comfort



Model	21111565 RA5	
Speed	5500 rpm	
Power	820 W	
Horsepower	1,1 HP	
Weight	2,75 kg	
Length	279 mm	
Height head	91 mm	
Air consumption	0,92 m ³ /min	
Noise Level	69 dB(A)	
Exhaust	Diffuser	
Lever type	Safety lever	
Anti-vibration	No	
Spindle wire	5/8"-11 UNC	
Side lever type	S	
Incl. air hose	No	
	€743,58	

Accessory optional

	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21
	Safety lever SL3 21111626 €34,83
	Compressed air hose PLS3 Air hose length 3 m 21111629 €26,04

	Pen Key A419 21111650 €14,26
	Side handgrip Type S 21111638 €13,91


Recommended consumables
 Available at Huvema, ask for the catalogue


Model **Fibre discs**
RA5 180mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.

- ✓ Powerful motor suitable for heavy grinding
- ✓ Robust and reliable design for arduous applications
- ✓ Anti-vibration side handle
- ✓ Ergo sleeve fitted for operator comfort



Model	21111566 RA6 AVH	21111567 RA8 AVH	
Speed	6500 rpm	8500 rpm	
Power	1500 W	1500 W	
Horsepower	2 HP	2 HP	
Weight	3,5 kg	3,5 kg	
Length	326 mm	326 mm	
Height head	119 mm	119 mm	
Air consumption	1,9 m³/min	1,9 m³/min	
Noise Level	79 dB(A)	79 dB(A)	
Exhaust	Diffuser	Diffuser	
Lever type	Safety lever	Safety lever	
Anti-vibration	No	No	
Spindle wire	5/8"-11 UNC	5/8"-11 UNC	
Side lever type	A	A	
Incl. air hose	No	No	
	€949,55	€949,55	

Accessory optional

	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Allen key IB-118 Length 70 mm 21111634 €1,40
	Safety lever SL3 21111626 €34,83		Pen Key A419 21111650 €14,26
	Compressed air hose PLS4 Air hose length 3 m 21111630 €64,86		Side handgrip Type A 21111639 €60,88

Recommended consumables Available at Huvema, ask for the catalogue



Model	Flap discs (large)
RA6 AVH	230mm
RA8 AVH	180mm

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



Belt sander BL16L

Speed 16000 rpm
Power 375 W

40

Belt sander RALM10L

Speed 12000 rpm
Power 300 W

41

Belt sander RALM20L

Speed 20000 rpm
Power 300 W

41



Belt sanders



BL16L Belt sander



- ✓ Ideally suited to medium sanding applications
- ✓ Multiple arms available to suit a range of belts
- ✓ Quick and easy belt change
- ✓ Ergo sleeve fitted for operator comfort



Model	21111550 BL16L	
Speed	16000 rpm	
Power	375 W	
Horsepower	0,5 HP	
Weight	1.3 kg	
Length	373 mm	
Height head	113 mm	
Air consumption	0.60 m³/min	
Noise Level	73 dB(A)	
Exhaust	front	
Lever type	Safety lever	
Incl. air hose	No	
	€602,70	

Accessory optional

	Safety lever SL1 21111624 €34,83		Allen key IB-118 Length 70 mm 21111634 €1,40
	Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16		Allen key IB-031 Length 65 mm 21111636 €1,52

Recommended consumables Available at Huvema, ask for the catalogue



Sanding belts

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



- ✓ Compact design for light sanding applications
- ✓ Multiple arm options to suit a range of belt sizes
- ✓ Quick and easy belt change
- ✓ Moulded sleeve for improved ergonomics, operator comfort and insulation



Model	21111568 RALM10L	21111569 RALM20L	
Speed	12000 rpm	20000 rpm	
Power	300 W	300 W	
Horsepower	0,4 HP	0,4 HP	
Weight	0,79 kg	0,79 kg	
Length	278 mm	278 mm	
Height head	79 mm	79 mm	
Air consumption	0,57 m³/min	0,57 m³/min	
Noise Level	74 dB(A)	74 dB(A)	
Exhaust	behind	behind	
Lever type	Safety lever	Safety lever	
Incl. air hose	yes	yes	
	€712,42	€669,07	

Accessory optional

	Spanner SSL2 3/4" Spanner size 3/4" 21111617 €9,21		Hose set PLS-122 Air hose length 2 m 21111647 €57,81
	Safety lever SL2 21111625 €41,53		Allen key IB-118 Length 70 mm 21111634 €1,40
	Compressed air hose PLS1 Air hose length 2 m 21111627 €48,16		Pen Key A419 21111650 €14,26
	Tube OVS6 Length 1 m 21111649 €9,65		

Recommended consumables Available at Huvema, ask for the catalogue



Sanding belts

Always ensure that the speed of the air tool never exceeds the maximum operating speed of the consumable.



LUBRICATION

ATA VITALIZER

The ATA vitalizer units remove moisture and harmful solids from the air stream and create an airborne 'micro fog' of oil which lubricates your ATA air motor, maintaining performance and ensuring long service life.



Part number	Type	Connection thread	SCFM	CU.M/min
AFLRG-1/4	Automatic drain filter with micro fog lubricator and mounting bracket	1/4"	40	1,2
AFLRG-1/2	Automatic drain filter with regulator, gauge, micro fog lubricator and mounting bracket	1/2"	120	3,4

IMPORTANT

Gear lubrication:

Part number: 008/GEARLUBE-1L

All ATA right angle grinders and sanders are fitted with high quality gears. In order to maximise the service life of the gears it is necessary to ensure that they are properly lubricated. ATA tools utilize a slow release oiling system which releases the oil onto the gears when the tool is running and re-absorbs the oil when the tool is stopped. Where tools are in constant use the oil should be replenished daily through the oil screw fitted in the angle head of the tool. ATA recommends the use of ATA Gear lube or any high quality 68 cSt gear oil. Failure to lubricate gears will void all warranties.

Motor lubrication:

Part number: 008/ATALUBE-1L

ATA recommends the use of ATALUBE air motor oil (or other high quality 10cSt oil) in all vane type motors when using ATA Micro Fog Lubricators. The oil drip rate can be set as shown in the table, remember that only 10% of the drip is actually delivered to the air supply, the remainder is returned to the main oil reservoir. Failure to properly lubricate a vane motor will void all warranties.

NOTE: With turbine models such as the ST100 and SPT Line, lubrication oil should NOT be used.

Motor power		Micro fog Unit Size	Drips per minute
kw	hp		
0,1	0,2	1/4"	10
0,2	0,2	1/4"	10
0,2	0,3	1/4"	12
0,2	0,3	1/4"	15
0,3	0,4	1/4"	15
0,4	0,5	1/4"	15
0,6	0,9	1/4"	20
0,7	0,9	1/4"	20
0,8	1,1	1/4"	20
1,1	1,5	1/2"	20
1,5	2,0	1/2"	30
2,2	3,0	1/2"	30

The drip rates shown are approximate settings. If there is too much oil from the exhaust of the machine, the drip rate should be reduced slightly. These drip rates may not apply to lubrication units from other manufacturers. It is easiest to begin with a high drip rate, and reduce to the correct setting.

MAINTENANCE & REPAIR

For optimal operation and safety when using the equipment, regular maintenance is a crucial factor.

ATA offers favourable prices for spare parts, allowing routine preventive maintenance to be carried out cost-efficiently. This contributes to a reduced risk of vibration-related defects and can extend the life of both the tools and consumables.

In addition to the internal repair facility, we offer technical drawings for spare parts. Dismantling instructions and kits are available for all tools. All tools comply with the EC Machinery Directive and its amendments as well as the CE Marking Directive 2006/42 / EC.

FEATURES & SAFETY



Low
Vibration



Wear Protective
Goggles



Wear Protective
Mask



Wear Ear
Protection



Oil
Required




Oil
Free

MODEL SPECIFICATIONS



Speed
(rpm)



Power
(hp)



Power
(watt)



Weight
(kg)



Weight
(lb)



Length
(mm)



Height
(mm)



Air
Consumption
(m3/min)



Air
Consumption
(cfm)



Noise Level
(db.(A))



Standard
Collet Size
(mm)



Collet Options
(mm)



Collet Type



Exhaust Type



Lever Type



Spindle Thread




Auto-balancer




Side Handle Type


CONSUMABLES



Tungsten Carbide Burs




Tungsten Carbide Burs
(Solid)




Mounted Points



Flexidisc®




Mini-Flexidisc™




Flap Discs



Jumbo Flap Discs




Minidiscs



Quickchange Discs



Fibre Discs



Belts



Flapwheels



Wire Cup Brushes

Pencil grinders

SPT80R								Pencil grinder > art.nr.21111601 > page.6	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS6 21111632							
SPT100R								Pencil grinder > art.nr.21111600 > page.6	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS6 21111632							
SPM45R								Pencil grinder > art.nr.21111597 > page.7	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS6 21111632							
SPM60R								Pencil grinder > art.nr.21111598 > page.7	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS6 21111632							
SPM80R								Pencil grinder > art.nr.21111599 > page.7	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS6 21111632							
ST100								Turbine pencil grinder > art.nr.21111602 > page.8	
Collet 3 mm CC3 21111615	Spanner 7" SSL1 7" 21111622	Compressed air hose 1 m PLS5 21111631							
SDM26L								Straight die grinder > art.nr.21111575 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SDM26LR								Straight die grinder > art.nr.21111576 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SDM30L								Straight die grinder > art.nr.21111577 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SDM30LR								Straight die grinder > art.nr.21111578 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SDM37L								Straight die grinder > art.nr.21111579 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SDM37LR								Straight die grinder > art.nr.21111580 > page.9	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SM10L								High power die grinder > art.nr.21111582 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SM10LR								High power die grinder > art.nr.21111583 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SM16L								High power die grinder > art.nr.21111584 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SM16LR								High power die grinder > art.nr.21111585 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		

SM25L								High power die grinder > art.nr. 21111586 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SM25LR								High power die grinder > art.nr. 21111587 > page.10	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMD18LR								Low vibration die grinder > art.nr. 21111588 > page.11	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMD25LR								Low vibration die grinder > art.nr. 21111589 > page.11	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMD30LR								Low vibration die grinder > art.nr. 21111590 > page.12	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 3/4" SSL2 3/4" 21111617	Spanner 14" SSL1 14" 21111623	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
S5L								Low speed sander/polisher > art.nr. 21111574 > page.13	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL1 21111624	Compressed air hose 3 m PLS3 21111629		
STX3L								Low speed sander/polisher > art.nr. 21111603 > page.14	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL3 21111626	Compressed air hose 3 m PLS3 21111629		
STX5L								Low speed sander/polisher > art.nr. 21111604 > page.14	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL3 21111626	Compressed air hose 3 m PLS3 21111629		

Extended grinders

RAMX13LR								Extended right angle sander > art.nr. 21111572 > page.18	
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 7/16" SSL2 7/16" 21111619	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627				
SHG18LR								Extended straight die grinder > art.nr. 21111581 > page.19	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX10L								Extended straight die grinder > art.nr. 21111591 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX10LR								Extended straight die grinder > art.nr. 21111592 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX16L								Extended straight die grinder > art.nr. 21111593 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX16LR								Extended straight die grinder > art.nr. 21111594 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX25L								Extended straight die grinder > art.nr. 21111595 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		
SMX25LR								Extended straight die grinder > art.nr. 21111596 > page.20	
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627		

SX10LR								Extended spindle straight die grinder > art.nr. 21111605 > page.21
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL1 3/4" 21111616	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL1 21111624	Compressed air hose 3 m PLS3 21111629	
SX16LR								Extended spindle straight die grinder > art.nr. 21111606 > page.21
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL1 3/4" 21111616	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL1 21111624	Compressed air hose 3 m PLS3 21111629	
SX22LR								Extended spindle straight die grinder > art.nr. 21111607 > page.21
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL1 3/4" 21111616	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL1 21111624	Compressed air hose 3 m PLS3 21111629	

Angle grinders with collet

RA12M-C								Angle grinder > art.nr. 21111556 > page.24
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627	
RA16L								Small angle sander > art.nr. 21111564 > page.25
Collet 3 mm CA3 21111608	Collet 6 mm CA6 21111609	Collet 8 mm CA8 21111610	Collet 10 mm CA10 21111611	Spanner 3/4" SSL2 3/4" 21111617	Spanner 3/4" SSL1 3/4" 21111616	Safety lever SL1 21111624	Compressed air hose 2 m PLS1 21111627	
RAM10LR								Small angle sander > art.nr. 21111570 > page.26
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 3/4" SSL1 3/4" 21111616	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627			
RAM20LR								Small angle sander > art.nr. 21111571 > page.26
Collet 3 mm CB3 21111612	Collet 6 mm CB6 21111613	Spanner 3/4" SSL1 3/4" 21111616	Spanner 7/16" SSL1 7/16" 21111618	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627			
RPM25R								Small angle sander > art.nr. 21111573 > page.27
Collet 3 mm CB3 21111614	Spanner - SSL1 21111620	Spanner - SSL2 21111621	Compressed air hose 1 m PLS5 21111631					
RA12M-B								Angle grinder > art.nr. 21111555 > page.28
Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627						

Angle grinders

RA12M-100								Angle grinder > art.nr. 21111551 > page.32
Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627							
RA12M-100A								Angle grinder > art.nr. 21111552 > page.32
Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627							
RA12M-115								Angle grinder > art.nr. 21111553 > page.32
Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627							
RA12M-115A								Angle grinder > art.nr. 21111554 > page.32
Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627							
RA14-125DS1								Angle grinder > art.nr. 21111561 > page.33
Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628						
RA14-115DS1								Angle grinder > art.nr. 21111559 > page.33
Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628						
RA14-100DS1								Angle grinder > art.nr. 21111557 > page.33
Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628						

RA14S-125PA5

Angle grinder > art.nr. 21111563 > page.34

Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628							
--	---	--	--	--	--	--	--	--

RA14-125PA4

Angle grinder > art.nr. 21111562 > page.35

Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628							
--	---	--	--	--	--	--	--	--

RA14-115PA4

Angle grinder > art.nr. 21111560 > page.35

Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628							
--	---	--	--	--	--	--	--	--

RA14-100PA4

Angle grinder > art.nr. 21111558 > page.35

Safety lever SL1 21111624	Compressed air hose 3 m PLS2 21111628							
--	---	--	--	--	--	--	--	--

RA5

Low speed angle grinder > art.nr. 21111565 > page.36

Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL3 21111626	Compressed air hose 3 m PLS3 21111629						
---	--	---	--	--	--	--	--	--

RA6 AVH

Large angle grinder > art.nr. 21111566 > page.37

Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL3 21111626	Compressed air hose 3 m PLS4 21111630						
---	--	---	--	--	--	--	--	--

RA8 AVH

Large angle grinder > art.nr. 21111567 > page.37

Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL3 21111626	Compressed air hose 3 m PLS4 21111630						
---	--	---	--	--	--	--	--	--

Belt sanders**BL16L**

Belt sander > art.nr. 21111550 > page.40

Safety lever SL1 21111624	Compressed air hose 2 m PLS1 21111627							
--	---	--	--	--	--	--	--	--

RALM10L

Belt sander > art.nr. 21111568 > page.41

Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627						
---	--	---	--	--	--	--	--	--

RALM20L

Belt sander > art.nr. 21111569 > page.41

Spanner 3/4" SSL2 3/4" 21111617	Safety lever SL2 21111625	Compressed air hose 2 m PLS1 21111627						
---	--	---	--	--	--	--	--	--

**Type S****Type A**

Type	Description	Art.nr
S	Solid handle, rugged design	140-756-20
A	Rugged all rubber handle. Comfortable ergonomic design with rubber isolation buffer for reduced vibration	140-792-10

SIDE HANDLES



INFORMATION & CONSULTING

Phone: +31 413 34 22 75
E-mail: info@huvema.nl
Web: www.huvema.nl

SHOWROOM & VISIT

Kennedylaan 14 – 5466 AA VEGHEL
Monday to Thursday: from 08:30 to 17:00 h
Friday from 08:30 to 16:00 h

Prices shown are excl. 21% VAT and valid until 31-03-2020 - Price changes and printing errors reserved.