



---

# Milling machine

## Description

---

Milling machine, Bridgeport type, well finished. Quill with feed. Lubrication system equipped with timer. High quality bearing for high RPM.

**Properties:**

feed on X, Y, Z axis  
drill depth adjustable  
spindle with handbrake  
left/right run  
turning and tilting head  
timer on lubrication system  
variable speed by inverter  
pneumatic drawbar



## Extra information

---

Item number	30768
Model	HU 4VK + Newall
EAN	8718242137195
CBS Statistics number	84596990
Article group	HUVEMA Machinery Industry
Brand	Huvema

Features	Engine power	3,75 kW
	Vertical spindle speed	5000 (var) rpm
	Table dimensions	1270 x 254 mm
	Longitudinal table travel	X - 800, Y - 420, Z - 420 mm
	Distance spindle - column	610 mm
	Spindle taper	DIN 2080 ISO 40
	Voltage	400 V
	Drilling depth spindle	127 mm
	Diameter spindle	100 mm
	T slots number / dimensions	3 x 16 mm
	Milling head tilt forward/backward	45 °
	Dimensions l x b x h	2000 x 1700 x 2450 mm
	Automatic spindle feed	0,04 - 0,08 - 0,15 mm/rev
	Milling head tilt left/right	90 °
	Upper arm travel	610 mm
	Newall	yes
	Central weight bearing capacity	450 kg
Weight	1650 kg	

Article group code 1688941

## Product images

