



Hydraulic press

Description

The hydraulic workshop press can be operated both manually and hydraulically. The table can be moved hydraulically vertically. The cylinder can be moved horizontally.

Properties:

manual and hydraulic operation
with screw-on cylinder extension
manometer placed in a cupboard
delivery with lifting eyes
English manual
warranty on pump 3 years
compact version

Extra information

| | | |
|-----------------------|---|-----------------------|
| Item number | 23306 | |
| Model | HU 160 MMH | |
| EAN | 8718242126816 | |
| CBS Statistics number | 846229910000 | |
| Article group | HUVEMA Machinery Industry | |
| Brand | Huvema | |
| Features | Pressure force | 160 ton |
| | Working width | 1120 mm |
| | Down feed | 6,2 mm/s |
| | Ascent rate | 9,8 mm/s |
| | Pressure max. | 412 bar |
| | Cylinder stroke | 400 mm |
| | Diameter cylinder | 220 mm |
| | Diameter piston head | 145 mm |
| | Oil tank capacity | 40 ltr |
| | Engine power | 5,5 kW |
| | Machine dimensions | 1000 x 1640 x 2550 mm |
| | Installation height | 900 mm |
| | Space between the uprights in the length/side | 1100 x 350 mm |
| | Pump | 15 liter |
| Voltage | 400 V | |
| Weight | 1300 kg | |
| Drive | Elektrisch hydraulisch | |

Product images

