



Hydraulic press

Description

The hydraulic workshop press can be operated both manually and hydraulically. The table can be moved hydraulically vertically. The cylinder can be moved horizontally.

Properties:

- manual and hydraulic operation
- with screw-on cylinder extension
- manometer placed in a cupboard
- delivery with lifting eyes
- English manual
- warranty on pump 3 years
- compact version

Extra information

| | | |
|-----------------------|---|----------------------|
| Item number | 23305 | |
| Model | HU 100 MMH | |
| EAN | 8718242540506 | |
| CBS Statistics number | 846229910000 | |
| Article group | HUVEMA Machinery Industry | |
| Brand | Huvema | |
| Features | Pressure force | 100 ton |
| | Working width | 920 mm |
| | Down feed | 7,12 mm/s |
| | Ascent rate | 13,42 mm/s |
| | Pressure max. | 385 bar |
| | Cylinder stroke | 400 mm |
| | Diameter cylinder | 180 mm |
| | Diameter piston head | 125 mm |
| | Oil tank capacity | 31 ltr |
| | Engine power | 4 kW |
| | Machine dimensions | 850 x 1600 x 2450 mm |
| | Installation height | 900 mm |
| | Space between the uprights in the length/side | 1010 x 300 mm |
| | Pump | 1l liter |
| Voltage | 400 V | |
| Weight | 1000 kg | |
| Drive | Elektrisch hydraulisch | |

Product images

