



Anti fatigue mat

Description

This Complete Comfort II Rubber Anti-Fatigue Mat is constructed of 100% Nitrile rubber for superior comfort, unmatched durability and the ability to be used in both wet and dry environments. The antistatic Nitrile rubber mat won't absorb liquids including oils and greases and it is welding resistant. The mat can be used in workshops, garages, production lines, commercial kitchens and other heavy-use locations.

Produced in a comfortable 16 mm. thickness.

Beveled edges prevent trip-and-fall accidents and add to the mat being ADA-Compliant.

This Complete Comfort Mats can be hosed down, it can be laundered in a commercial washer and dryer or even in a commercial restaurant dishwasher.

Properties:

100% closed cell Nitrile rubber

Thickness: 16 mm

Weight: 4,8 kg/m²

Hardness: 60 shore

Colour: black

Size deviation 5%

Features

100% nitril rubber met gesloten cel

Dikte: 16 mm

Gewicht: 4,8 kg/m²

Hardheid: 60 shore

Kleur:Zwart

Lasbestendig

Maatafwijking 5%

Extra information

Item number	40608-grp
Model	WPM 9060 Superior II
Model group	WPM ...
Article group	K29 - Safety, PPE
Brand	Huvema
Features	Length 900 mm
	Width 600 mm
Article group code	944455

Product images

