

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



4-stroke Generator with inverter

Description

Low-noise inverter petrol generator OHV SPARK 2000

This generator is used for various purposes when there is no or insufficient energy available at a location. The inverter has a 4-stroke petrol engine and is suitable for any type of electronic device due to its inverter technology. This reliable power generator provides a constant stable power supply. Ergonomic, small in size and thanks to its low weight easy to carry for mobile power use. Thanks to the materials and technologies used in this generator, you buy a reliable, strong, economical and silent power generator. The generator is CE approved.

- Max power 1.2 kVA (1200 Watt)
- Constant output voltage
- · Automatic shutdown on overload
- Low oil level indicator

Very suitable for mobile power use in construction & industry, as emergency power in and around the house, for camping, pleasure boat & car sport and outdoor & festival.

Extra information

Item number	V1371820	
Model	1371820	
EAN	8004878704444	
Article group	HUVEMA Webshop Machines & Equipment	
Brand	Valex	
	Motor type	4-takt OHV
	Cylinder capacity	53,5 cc
	Fuel consumption at 75% load	0,65 litres per hour
	Tank capacity	4,2 liter
	Maximum oil consumption	0,1 kg per 100 hours
	Amount of engine oil	0,26 liter
	Spark plug type	A7RTC (CR7HSA)
	AC output: rated voltage at frequency 50 Hz	230 V
	Power class (according to ISO 8528) at power factor (cos Phi) 1	1 kW
	Performance class (in accordance with ISO 8528-1)	Gl
	Quality class (in accordance with ISO 8528-8)	В
Features	Maximum temperature	40 °C
	Maximum height	1000 m
	Sound pressure level at operator LpA	74,39 dB(A)
	Requirements (in accordance with CE directive 2005/88/EC)	VI
	Competent notified body (2005/88/EC)	SNCH no.0499 Luxembourg
	Phase	Single
	Start	Trek
	Fuel	Euro 95
	Continuous operation	6 hour
	Sockets	1 x 230 V
	Engine power	1,2 kW
	Dimensions	35 x 32 x 30 cm
	Weight	11,5 kg
Article group code	1918258	

Product images





















