



4-stroke Generator

Description

4-STROKE OHV Generator EX3305

AVR system: automatic regulation of the output voltage
Automatic shutdown in case of overload and low oil level
Voltmeter

Extra information

Item number	V1371616	
Model	1371616	
EAN	8004878703751	
Article group	HUVEMA Webshop Machines & Equipment	
Brand	Valex	
Features	Motor type	4-takt OHV
	Cylinder capacity	212 cc
	Fuel consumption at 75% load	1,5 litres per hour
	Tank capacity	11 liter
	Maximum oil consumption	0,3 kg per 100 hours
	Spark plug type	LD F7TC, Champion N9YC
	AC output: rated voltage at frequency 50 Hz	230 V
	AC output: rated current	11,7 A
	Power class (according to ISO 8528) at power factor (cos Phi) 1	2,7 kW
	Performance class (in accordance with ISO 8528-1)	G2
	Quality class (in accordance with ISO 8528-8)	B
	Sound pressure level at operator LpA	74,7 dB(A)
	Requirements (in accordance with CE directive 2005/88/EC)	VI
	Competent notified body (2005/88/EC)	TÜV SÜD Industrie Service GmbH
	Phase	Single
	Start	Trek
	Fuel	Euro 95
	Continuous operation	10 hour
	Sockets	2 x 230 V
	Engine power	3 kW
Dimensions	61 x 47 x 42 cm	
Voltage	230 V	
Maximum height	1000 m	
Maximum temperature	40 °C	
Weight	42 kg	
Article group code	1918295	

Product images

