



Professional column drill 32mm – 400V

Description

The HU 32-4 NG Topline is a V-belt driven column drill of professional quality. With a drilling capacity of 32 mm, this machine is the largest in the NG Topline series! This column drill is fully equipped according to the latest CE standards. The user is therefore assured of pleasant and safe use. Many workshops have very diverse drilling work: from small to large jobs. A 32 mm drill often does this well. This makes this machine ideal for a technical department, maintenance work, etc. Do you drill regularly, but do not work in production and still want to work accurately? Then this is the perfect machine for you!

The HU 32 NG-4 Topline is among other things equipped with a work light to illuminate your workpiece even better, an easily adjustable drilling depth and an easily adjustable work table. The work table can be rotated both horizontally and vertically and swivelled around the column. The table has a cross of t-slots, which makes it possible to use almost all clamps! With the motor's tensioning lever, you can easily release the V-belts from their tension, allowing you to quickly replace or reposition them. With the wide speed range of the V-belts, you can easily drill into various materials with corresponding drill diameters up to 32 mm. The machine also features a 2-step motor, which allows you to use 2 speeds with a quick switch and reduces the need to change the belts. In addition, this HU 32 NG-4 Topline is equipped with a left/right switch for the drilling spindle. Finally, this machine is of course equipped with an emergency stop and protective covers.

Features:

- Professional quality
- V-belt driven
- CE compliant
- Including protective cap
- Including emergency stop
- Including drill head
- Inclusive drill bit
- Including drive spigot
- Including working light
- With adjustable drilling depth
- With 2-stage motor
- With left/right switch
- Flexible work table
- Power current version

Extra information

Item number	11257
Model	HU 32-4 NG Topline
EAN	8718242559386
CBS Statistics number	84592900
Article group	HUVEMA Machines Retail
Brand	Huvema

Features	Drilling capacity	32 mm
	Distance spindle – column	255 mm
	Spindle taper	MT 4
	Engine power	1,5 kW
	Voltage	400 V
	Drilling depth	120 mm
	Maximum distance spindle – table	580 mm
	Maximum distance spindle – foot	1090 mm
	Table dimensions	475 x 425 mm
	T slots	3x M16
	Column diameter	92 mm
	Speed range	120–3850 rpm
	Number of revs	12
	Variable speed	No
	Drive	V-belt
	Weight	139 kg
	Machine dimensions	900 x 530 x 1700 mm
	Packaging dimensions	930 x 550 x 1880 mm
Article group code		1960675

Product images



