



Mobile filter unit 400V

Description

This mobile extractor is designed for light and medium dust and fume applications. The extractor can be easily moved and thus used at multiple or changing workplaces. Thanks to its specially designed hood and high suction power, it captures the light dust and fumes released from various applications. The harmful and dusty air is captured, then filtered with highly efficient cartridge filters, and returned to the environment. In this way, this equipment helps create a more efficient and safer working environment by minimising the risk of occupational diseases and the risk of workplace accidents.

TOFILmono series mobile filter units are equipped with cleanable cartridge filters, a 360-degree rotating extraction arm, a high-efficiency radial fan with high suction power, a fan rotation direction warning light, a filter clogging sensor and an operating hour meter. Thanks to these features, TOFILmono series mobile filter units not only bring low maintenance costs, but also offer users additional convenience.

Features:

- NanoBLEND FR class F9 / 18 m² filter area
- Cleanable cartridge filters
- Filter clog display
- Operating hour counter
- Inner support
- Low maintenance costs

Extra information

Item number	43017	
Model	TOFILmono N 1A3M-E	
EAN	8718242562423	
CBS Statistics number	84213985	
Article group	HUVEMA Workshop Equipment	
Brand	Bomaksan	
Features	Extraction capacity (standard)	1200 m ³ /uur
	Filter area	18 m ²
	Dimensions	660 x 805 x 1210 mm
	Engine power	0,75 kW
	Voltage	400 V
	Sound level	72 dB(A)
	Filter	Cartridge nanoBLEND FR
	Suction arm	External support
	Boom arm length	3000 mm
	Boom diameter	160 mm
Weight	181 kg	
Article group code	1946529	

Product images



