

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



# Swivel castor Ø85mm with mounting plate

### **Description**

Cost-effective swivel castor with a rubber running surface and an outer diameter of 85 mm. The wheel is fitted with a mounting plate, which allows the wheel to be easily fixed with 4 bolts. The swivel castor can rotate 360 degrees and has relatively good rolling properties on less flat surfaces. Compared to a nylon wheel, this rubber wheel runs more quietly and wears less. Thanks to the hub with roller bearing, this wheel runs smoothly and shock-free.

#### **Features:**

- Roller-bearing hub
- Economically priced
- Load capacity per wheel: 60 kg.
- Plate bore Ø 9 mm
- Plate L x W: 102 x 84 mm
- Resistant to oxidation
- Housing made of high-grade galvanised steel
- Construction height: 105 mm
- Suitable for temperatures from -20°C to +80°C.

## **Extra information**

Item number	V1500206
Model	1500206
EAN	8004878378492
Article group	HUVEMA Webshop Machines & Apparatuur
Brand	Valex
Features	Diameter wheel 85 mm
Article group code	2163423

## **Product images**







