

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



## **Bench drill**

### **Description**

This industrial column drill has a drilling capacity of 30 mm. The machine is made exclusively from materials and components that guarantee high quality, ease of operation, reliability and a long service life. The powerful and modern machine is equipped with an inverter for variable speed control. The solid, ground drill table is finished with T-slots for clamping high workpieces and an integrated drill clamp of 130 mm. for working with high accuracy. This drill press is especially popular in repair shops and industrial production.

#### Features:

- Integrated drill chuck: size 5 inches
- Manual spindle feed: 0.006- 0.1-0.1mm
- Powerful motor with 2 speeds
- Ground base plate with T-slots for clamping high workpieces
- Drilling table tiltable and adjustable in height adjustable
- V-belt drive with balanced drive sheaves for smooth running
- Heavy precision work table
- Integrated machine lighting
- Compact, stable cast iron construction in a modern design
- Stable and polished steel column, designed for heavy use

## **Extra information**

Item number	11173	
Model	HU 40 MP-4 Vario	
EAN	8718242571814	
CBS Statistics number	84592900	
Article group	K2 - Retail machinery	
Brand	Huvema	
	Drilling capacity	40 mm
	Distance spindle - column	300 mm
	Spindle taper	MK 4
	Engine power	2,2 kW
	Voltage	400 V
	Drilling depth	130 mm
	Maximum distance spindle - table	785 mm
	Maximum distance spindle - foot	1250 mm
Features	Table dimensions	330 x 400 mm
	Column diameter	120 mm
	Speed range	185 - 1540 omw/min
	Number of revs	4
	Variable speed	Ja
	Drive	V-snaar
	Foot dimensions	450 x 670 mm
	Weight	380 kg
	Machine dimensions	550 x 1000 x 1870 mm

# **Product images**





