



---

# Turntable welding positioner

## Description

---

Rotary positioning table (welding manipulator) 300 mm, with manual tilt and variable speed. The rotary table allows mechanising circular welding on vertical and horizontal axes with phased inclination angles. The rotation speed is precisely adjustable and the table's inclination angles can be adjusted in seconds. This makes it much easier to make circular joints with all arc welding methods. With this device, you improve welding quality and dimensional accuracy, workload is reduced and thus productivity can be increased.

# Features

---

## Features:

- Easily adjustable speed via display
- Work surface tiltable from 0° to 90°
- Chuck with three clamping jaws
- Maximum load capacity of 30 kg
- Can be expanded with foot pedal T802210.

## Extra information

Item number	T805013	
Model	TR30M	
EAN	8056590379820	
CBS Statistics number	85159080	
Article group	Products still to be classified	
Brand	TELWIN	
Features	Table diameter	300 mm
	Table tilt	0 - 90 °
	Load capacity horizontal	30 kg
	Load capacity vertical	10 kg
	Speed	0 - 6 omw/min
	Capacity	250A X=60% A
	Frequency	50 / 60 Hz
	Diameter spindle	200 mm
	Voltage	230 V
Weight	34 kg	
Article group code	624212	

# Product images

