

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



Bandsaw machine 255 mm with variable speed

Description

With the TOPLINE series of "semi-automatic" band saw machines, Huvema offers robust, top-quality band saws for every workshop. Ideal if you want to saw single pieces with high accuracy and simple control: the TOPLINE band saw machines offer this and more.

The TOPLINE band saw machines are designed for optimal use in precise and robust work and the machines are equipped with a sturdy chassis and the saw arm is completely made of cast iron. In addition, these band saws are finished with very solid and accurate saw guides. These features ensure stable operation and therefore accurate sawing results. The TOPLINE sawing machines are very user-friendly and equipped with an ergonomic and clearly placed control panel. In addition, the machines are equipped with a built-in cooling system and the lowering speed of the arm is continuously adjustable. The saw brush removes the chips from the saw blade and thus keeps the saw blade clean. This prevents extra wear and ensures a longer lifespan. Single pieces can be sawn "automatically" by using the bag cylinder. This makes efficient work possible, so that you can, for example, prepare new (sawing) work while sawing and possibly rework and/or clean up previously sawn work. After the cut, the machine stops automatically and the arm can be raised for the next cut. The TOPLINE band saw machines are equipped with a stable material clamp with a quick-release device.

In addition to all the advantages mentioned, this series of TOPLINE band saw machines is particularly competitively priced for machines in this quality class!

Features:

- Equipped with variable speed control
- Quality band saw with a heavy duty gear drive.
- Including band saw
- Saw blade brush
- Cylinder for automatic lowering
- Clamp with quick-release device
- Built-in cooling system
- Hydraulic saw blade tension
- Miter sawing 2 sides with preset angles
- Material stop
- Higher working height for greater ease of use
- Easy to change saw blades and adjust hydraulic tension
- · Limit switch turns off power once the cut is completed

- Adjustable roller guides for precise cutting
- Adjustable length stop for repetitive cutting

Extra information

Item number	16327
Model	HU 300 DV-4 Vario Topline
EAN	8718242579117
Article group	HUVEMA Machines Retail
Brand	Huvema

	Sawing capacity 90° round	255 mm
	Sawing capacity 90° rectangular	200 x 320 mm
	Sawing capacity 90° square	200 mm
	Sawing capacity 45° round	195 mm
	Sawing capacity 45° rectangular	195 x 195 mm
	Sawing capacity 45° square	195 mm
	Sawing capacity 60° round	125 mm
	Sawing capacity 60° rectangular	130 x 120 mm
	Sawing capacity 60° square	125 mm
	Cutting capacity -45° round	200 mm
Features	Cutting capacity -45° straight	200 x 170 mm
	Cutting capacity -45° square	170 mm
	Saw blade dimensions	2750 x 27 x 0.9 mm
	Engine power	1.5 kW
	Engine power Cooling pump power	1.5 kW 0.1 kW
	Cooling pump power	0.1 kW
	Cooling pump power Saw speed	0.1 kW 20 - 80 m/min
	Cooling pump power Saw speed Number of cutting speeds	0.1 kW 20 - 80 m/min Variable
	Cooling pump power Saw speed Number of cutting speeds Working height	0.1 kW 20 - 80 m/min Variable 950 mm
	Cooling pump power Saw speed Number of cutting speeds Working height Voltage	0.1 kW 20 - 80 m/min Variable 950 mm 400 V
Article group code	Cooling pump power Saw speed Number of cutting speeds Working height Voltage Weight	0.1 kW 20 - 80 m/min Variable 950 mm 400 V 355 kg 1700 x 1300 x

Product images











