



Starter

Description

Battery-powered starter suitable for 24V starting of trucks, vans, tractors and 12V starting of cars, vans, boats, power sources, etc.

The 12V output is a power source for use in emergencies; when connected to the cigar-lighter outlet it maintains the voltage on all circuits during battery changes of vehicles with 12V batteries.

It does not damage the electronics of the vehicle and allows for a large number of starting operations before being recharged.

Start Plus can be recharged using the special power supply connected to the mains network (for the safeguard of the battery, charge for 12 hours before use, charge again after each use and every 3 months in any case).

Complete with 230V AC - 12+12V DC power supply, positive-negative cables with clamps.

- 24V battery starter for light goods vehicles, lorries, tractors, excavators and 12V for cars, vans, boats, generators, etc. With 230VAC - 12+12VDC power supply unit, positive-negative cables with clamps.
- The 12V output is a source of energy in the event of emergencies; connected to the cigarette lighter of the vehicle, it powers all the circuits in battery changes on vehicles with 12V batteries.
- Does not damage the vehicle electronics and allows numerous cranking operations before resulting charge.

Extra information

Item number	T829571		
Model	START PLUS 6824 12-24V		
Model group	Starters		
EAN	8718242128285		
CBS Statistics number	85071080900		
Article group	Starter		
Brand	TELWIN		
Features	Mains voltage	230 V	
	Load voltage/start voltage	12-24 V	
	Dimensions l x b x h	305 x 360 x 630 mm	
	Battery capacity	80(12V) - 40 (24V) Ah	
	Starting peak current	6000(12V) - 3000(24V) A	
	Output current	2000(12V) - 1000(24V) A	
	Weight	41 kg	
Article group code	502352		

Product images

