



Bandsaw machine

Description

Horizontal band saw. The bow is made of heavy steel and the two pillars constitute a strong and rigid saw frame. This ensures high accuracy when cutting. The machines are fitted with an integrated coolant pump that supplies coolant to both guide assemblies. Blade guides with rollers and carbide pads provide precise support for the blade. The machines switch off automatically at the end of the cutting proces and the saw arm is lifted hydraulically.

Properties:

- inverter
- hydro-mechanic blade tension
- swarf brush
- hydraulic vice
- bi-metal saw blade
- removable coolant tank
- 1.2 meter roller table
- thermal overload
- no-volt release

Extra information

Item number	16481	
Model	BMSY 560 C	
EAN	8718242078702	
CBS Statistics number	84615011	
Article group	Bandsaw machine	
Brand	Huvema	
Features	Saw blade dimensions	6000 x 41 x 1,3 mm
	Sawing capacity 45° rectangular	410 x 560 mm
	Sawing capacity 45° round	410 mm
	Sawing capacity 45° square	410 mm
	Sawing capacity 90° rectangular	560 x 750 mm
	Sawing capacity 90° round	560 mm
	Sawing capacity 90° square	560 mm
	Saw speed	20 - 100 m/min
	Working height	590 mm
	Coolant pump	0,12 kW
	Dimensions l x b x h	3400 x 1000 x 2050 mm
	Hydraulic engine	1,1 kW
	Engine power	4 kW
	Voltage	400 V
Weight	2045 kg	
Article group code	1041194	

Product images

