



Bandsaw machine

Description

Fully automatic band saw for cutting solid material, tubes and profiles of steel, cast-iron, light and non ferrous materials, at 90°. Entirely made of steel. The rear jaw of the hydraulic vice has a number of hardened rollers that are turned by an electric motor. The front jaw consist of a number of free running rollers. Once the work piece is clamped between the rollers no further clamping is needed. The material is fed through the vice to the material stop which contains a micro-switch controlling the feed motor. A counter controls the number of cuts. Should the blade brake the machines stop automatically. The machines are fitted with an integrated coolant pump with a removable coolant tank, which supplies coolant to both guide assemblies.

Properties:

- bi-metal saw blade
- 1.2 meter roller table
- linear guide ways
- security switch
- hydraulic saw blade tension
- optical height adjustment
- saw blade brush
- inverter
- mechanical top clamping
- pressure adjustment knob

Extra information

Item number	16482	
Model	BMSO 560 C	
EAN	8718242080316	
CBS Statistics number	84615011	
Article group	Bandsaw machine	
Brand	Huvema	
Features	Saw blade dimensions	6000 x 41 x 1,3 mm
	Sawing capacity 90° rectangular	570 x 560 mm
	Sawing capacity 90° round	560 mm
	Sawing capacity 90° square	560 mm
	Saw speed	20 - 100 m/min
	Working height	590 mm
	Dimensions l x b x h	3500 x 1050 x 2050 mm
	Hydraulic engine	1,1 kW
	Engine power	4 kW
	Voltage	400 V
Weight	2242 kg	
Article group code	341956	

Product images

