

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



Hydraulic shear

Description

Stable steel folding machine, resistant to vibrations and temperature changes. Equipped with a hydraulic transmission system and a motorized catcher (99 programs and 20 cycles per program) with digital readout. The distance between the blades can be adjusted accurately with the hand wheel. The cutting angle can be adjusted to prevent too high pressure on the material.

Properties:

opening adjustable
cutting line is lit
photocell protection on the rear
control panel for the safety cage
emergency stop
foot pedal
including hydraulic oil
table placement over bearings
pneumatic catch box

Extra information

Item number	37027	
Model	MG 8x4000	
EAN	8718242078979	
CBS Statistics number	820330000	
Article group	Shear	
Brand	Huvema	
	Cutting capacity	8 mm
	Number of strokes	7 - 45 strokes/min
	Number of strokes	/ - 45 strokes/min
	Length of grid	7 - 45 strokes/min
Features		
Features	Length of grid	750 mm
Features	Length of grid	750 mm 0,5 - 2,5 °
Features	Length of grid Angle Cutting length	750 mm 0,5 - 2,5 ° 4000 mm
Features Article group code	Length of grid Angle Cutting length Engine power	750 mm 0,5 - 2,5 ° 4000 mm 11 kW

Product images





