



# Section roller

## Description

Section roller for horizontal and vertical bending by tilting the machine 90 degrees. All rollers are powered. Hands free due to foot control. Optional (on request): rollers for angle, profile and pipe/tube bending; digital readout; NC control.

On demand:

Angle castors steel-iron 30x30x3

Angle castors steel-iron 40x40x5

Angle castors steel-iron 50x50x6

Angular Castors Steel-Iron 60x60x6

Steel-iron castors 0 - 33.7 mm bending rollers

Steel-Iron Rolls 34 - 48.3 mm Bending Rolls

Steel-iron castors 49 - 60.3 mm Benders

Plastic angle rollers for aluminum / stainless steel 30x30x3

Plastic angle rollers for aluminum / stainless steel 40x40x5

Plastic angle rollers for aluminum / stainless steel 50x50x6 Plastic angle rollers for aluminum 50x50x6

Plastic angle rollers for aluminum / stainless steel 60x60x6 Plastic angle rollers for aluminum 60x60x6

Plastic rollers for aluminum and stainless steel 0 - 33.7 mm

Plastic rollers for aluminum and stainless steel 34 - 48.3 mm

Plastic rollers for aluminum and stainless steel 49 - 60.3 mm

### Properties:

welded steel frame

top roller hydraulically adjustable

3 motor driven rollers

rollers hardened

adjustable guide rolls

supplied with standard roller set

with brake motor for precision

separate control panel

## Extra information

---

Item number	16840	
Model	HU P30F-4 Topline	
EAN	8718242080880	
CBS Statistics number	84624990	
Article group	K2 - Retail machinery	
Brand	Huvema	
Features	Roller shaft diameter	30 mm
	Feed roll speed	2-4 m/min
	Dimensions. machine b x h x d	600 x 800 x 1450 mm
	Engine power	0,85 kW
	Voltage	400 V
	Weight	220 kg
Article group code	605609	

## Product images

