

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



Vibratory finishing machine

Description

This Huvema vibratory finishing machine offers you good quality at a low price. The deburring machine removes sharp edges and provides a high end product.

When deburring, the surface of the parts to be treated is machined with relatively small pebbles (chips) containing an abrasive. Additionally, water and a cleaning agent (compound) are added to support the process of removing dirt and spawns and keeping the chips open and abrasive. Ideal for deburring or polishing large and small series of parts. Also used for the eradication of (metal) objects.

Working tips:

 Load the grinding stones/chips about 50% full of the tank, the working piece/object is about 15% of grinding stones. (please note, not too full to avoid the working piece crushing with each other).
Add cleaning product and water in ratio 1:4 each hour.

3. Water exhaust switch keeps "on" to drain out the dirty water and silt to ensure good grinding effect.

Properties:

TECO inverter with control panel Square hole filter 20 mm.

Extra information

Item number	14315	
Model	OM 150A	
EAN	8718242071109	
CBS Statistics number	84659300	
Article group	Surface grinder	
Brand	Huvema	
	Filled volume	380 kg
Features	Dimensions drum b x h	1045 x 1035 mm
	Dimensions I x b x h	1190 x 1190 x 1310 mm
	Engine power	2,25 kW
	Voltage	400 V
	Grinding stone suggestion	150 - 175kgs for working piece 22.5 - 25kgs
	Cleaning product	200cc & water 800cc each hour
	Weight	460 kg
Article group code	684665	

Product images





