



Bandsaw machine

Description

Horizontal bandsaw with linear guideways, ideal for mitre cuts. The bow moves, making it possible to make cuts between 90° and +30°. Auto height adjustment sensors ensure that the bow can approach the material at high speed. The hydraulic cutting control makes the bow rise up again after a cut has been made. This process is controlled by a digital counter on the control panel. The bow angle is shown in the digital display.

Properties:

- inverter
- hydraulic vice
- 3° inclined blade
- hydromechanic blade tension
- pressure regulator
- hydraulic clamping for mitre cuts
- blade brush
- coolant pump
- security switch
- optical height adjustment

Extra information

Item number	16429
Model	BMSY 810 CGH
EAN	8718242080163
CBS Statistics number	84615011
Article group	Bandsaw machine
Brand	Huvema

Features

Saw blade dimensions	8200 x 41 x 1,3 mm
Sawing capacity 30° rectangular	700 x 770 mm
Sawing capacity 30° round	700 mm
Sawing capacity 30° square	700 mm
Sawing capacity 45° rectangular	555 x 770 mm
Sawing capacity 45° round	555 mm
Sawing capacity 45° square	555 mm
Sawing capacity 60° rectangular	310 x 770 mm
Sawing capacity 60° round	320 mm
Sawing capacity 60° square	310 mm
Sawing capacity 90° rectangular	810 x 770 mm
Sawing capacity 90° round	810 mm
Sawing capacity 90° square	770 mm
Coolant pump	0,12 kW
Saw speed	20-100 m/min
Working height	725 mm
Dimensions l x b x h	4020 x 1630 x 2570 mm
Hydraulic engine	1,5 kW
Engine power	4 kW
Weight	4050 kg
Voltage	400 V

Article group code

684699

Product images

