

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



## Protective cap chisel holder

## **Description**

Specific multi adjustable guard, for on the trolley of a lathe Combined with the safety guard for the chuck, this offers an exceptional protection of the operator

Thermo formed screen in shockproof and oil resistant material

A micro switch n.2 is provided NC contacts, is a positive contact as defined in EN 60947-5-1

Protects the operator against direct contact with rotating parts of the chuck and ejected chips as well as against splashing lubricant - coolant

Suitable for:

Conventional lathes, universally applicable

Third generation safety guard for chisel holder "Made in EU"

Supplied with:

CE mark

CE certificate

Instruction/assembly manual

Assembled at the rear of the trolley. The screen, supported by the articulated arms thanks to a ball joint, is fully adjustable and protects against chips. Screens can be purchased separately.

Attention: a chisel holder shield requires adjustments each time to be mounted on your lathe. A safety guard must be installed by qualified personnel. The estimated working time is about 3 working hours, provided there is an emergency stop circuit. If you have any questions, please contact our technical department.

Tip: When choosing the size of the chisel holder shield, you must take into account the dimensions of the mounting bracket in order to be able to mount it on the trolley, as well as the safety of the operator.

## **Extra information**

Item number	40353	
Model	BVPTO 10/350	
EAN	8718242062008	
CBS Statistics number	84669300	
Article group	K29 - Safety, PPE	
Brand	TECNOPIU	
Features	Code	PTO 10/350
	Dimension A	350 mm
	Dimension B	300 mm
	Dimension D	550 mm
	Slot depth	280 mm
	Weight	6.6 kg
Article group code	2399813	

## **Product images**







