

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



Protective cover milling machine

Description

This protection consists of two opposing elements, mounted on both sides of the horizontal slide Equipped with a simple adjustment for regularly changing tasks, this model protects the operator against direct contact with the horizontal spindle and also against flying chips and coolant. Horizontal mounting on both sides of the slide and equipped with axial or radially adjustable safety goggles.

1 Adjustable angle bracket for mounting the microswitch housing and the horizontal arm

- 2 housings for the safety microswitches, rotatable by 180°, 2 opening contacts
- 3 Horizontal protective screen holder made of stainless steel tube
- 4 aluminium fixing clamps for axial and radial adjustment of the protective screen
- 5 Protective screen made of shock-resistant and oil-resistant plastic material

Extra information

40263	
BVPFR 10/420	
8718242062749	
84669300	
K29 - Safety, PPE	
TECNOPIU	
Code	PFR 10/420
Dimension A	400 mm
Dimension B	200 mm
Dimension C	830 mm
Weight	8.5 kg
1387698	
	BVPFR 10/420 8718242062749 84669300 K29 - Safety, PF TECNOPIU Dimension A Dimension B Dimension C Weight

Product images



