Huvema B.V
Kennedylaan 14
5466 AA Veghel
Nederland

info@huvema.nl
Tel +31 413 34 22 75
KVK 16028008
Btw NL003107905B01

Vertical bandsaw

Description

Vertical bandsaw with variable speed. Solid steel frame and well finished. This bandsaw was developped especially for cutting small to medium series of material. Used for making (very) long cuts, cutting very wide material and cutting at an angle. Length cuts in bar materials and profiles can be made easily with this machine. Can also be used for contour sawing and notching.
Less common sizes such as a half bar, triangular bar and six sided bar can be made with this bandsaw. Wide variety of saw blades available, from fine to coarse.
With this machine you can increase production, because it saws through all sorts of (difficult) materials very fast. Hardly any vibrations, which makes for higher precision cuts and longer life-span of the blades. With integrated welding unit, machine light and material stop. Optional table feed available.

Properties:
ergonomic operation
iron tilting table
stepless blade speed
blade speed indication

Extra information

Item number	16610	
Model	HU 3612 VBS Super	
EAN	8718242540414	
CBS Statistics number	84615011	
Article group	HUVEMA Machinery Industry	
Brand	Huvema	
Features	Saw blade dimensions	5020 x 13 x 0,65 14T mm
	Max. blade thickness	27 mm
	Diameter wheel	515 mm
	Saw speed	15 - 125, 165 - 1500 m/min
	Table tilt	R - 45, L - 10 °
	Table dimensions	600 x 700 mm
	Table height	1016 mm
	Voltage	400 V
	Engine power	2,2 kW
	Weight	800 kg
	Capacity	915 x 330 mm
	Machine dimensions	1760 x 810 x 2060 mm
Article group code	1055369	

Product images